



DOCK



RITE INC

DOCK & LIFTS

1-888-400-3292

www.dockriteus.com

Dock Rite Offers Design Features That Provide Years Of Worry Free Use.

The Dock Rite truss style dock is easy to install. Roll-in, drop-in the decking, level with a cordless drill and enjoy. This style of dock works best when storage of long sections is not a problem. As with all roll-in type docks the water level should be less than 8 feet with a firm bottom. For deeper water or soft lake bottoms please see the information on floating docks on page 15.


- Our screw jack legs come in sizes ranging from 42" to 90" for all your water depth needs. They are made of 2-1/2" heavy wall tubing.
- Leg pockets are oversized and welded to eliminate the need for multiple leg sizes and unsightly bracing.
- 2-1/2" posts are available when screw jack are unnecessary.
- Sand pads are interchangeable on any wheel assembly and provide a wide, solid base. Sand pads are ideal when portability is not an issue.
- 1x2 dual center stringers for extra strength and support.
- The modular design is easy to expand or add slips.
- All of our aluminum products are backed by a 15 year structural warranty against defects in material and workmanship. All purchased materials will use the pass through warranty from the manufacturer of those products. Please see warranty statement for full details.

The WoodBeam Resin Dock panel is the perfect low maintenance, simulated wood product for your next dock project. The deep wood grain finish gives you that wood look and feel while being maintenance free and easier to install.

Titan Deck Made of 100% polypropylene plastic, Titan decking will never rot, warp, dent, splinter or bend and never needs painting or staining. It's UV protected, barefoot friendly decking that stays cool to the touch even in extreme temperatures. Available in Tan or Gray.

Aluminum Decking: The ultimate maintenance free decking option. Tan powder coated Panels that stay cooler than wood or carpet.


Aluminum Truss Dock



WoodBeam Resin Dock



TRUSS DOCK WEIGHT CHART					
FRAME TYPE	MODEL	FRAME ONLY	SUNWALK™ DECK	TITAN DECK™	ALUMINUM DECK
16' ALUMINUM	SCREWJACK W/WHEELS	168	268	280	300
16' ALUMINUM	SCREWJACK W/PADS	140	240	252	272
16' ALUMINUM	POST W/WHEELS	146	246	258	278
16' ALUMINUM	POST W/PADS	118	218	230	250
8' ALUMINUM	SCREWJACK W/WHEELS	125	175	191	191
8' ALUMINUM	SCREWJACK W/PADS	97	147	163	163
8' ALUMINUM	POST W/WHEELS	103	153	169	169
8' ALUMINUM	POST W/PADS	75	125	141	141
ALUMINUM	CORNER	23	40	41	45
4' ALUMINUM	RAMP	22	47	55	55
8' ALUMINUM	RAMP	47	97	103	113
ALUMINUM	SCREWJACK	16			
ALUMINUM	6' POST W/PAD	7			
PLASTIC	WHEEL W/AXLE	16			




Aluminum Deck Panel



Titan Deck™ Panel



Screw Jack Top
Level your dock without getting wet.



Screw Jack Post
When portability is not an issue.




Extruded post pocket.
Engineered for extra strength and stability.

Screw Jack Wheel



Molded Polyethylene Wheel with an 800lb capacity cannot go flat. The large diameter, wide wheel rolls better and will sink less, making installation and removal easier.

STANDARD TRUSS FRAMES



Dock Rite Offers Design Features That Provide Years Of Worry Free Use.

The Dock Rite sectional style dock incorporates the following design features to provide you with a strong, sturdy, easy to use dock, engineered to give you years of worry free use.

- The modular design is easy to expand or add slips.
- Tubular aluminum frame for strength.
- Extra long post pockets for added stability.
- 1x2 dual center stringers for extra strength and support.
- Our screw jack legs come in sizes ranging from 42" to 90" for all your water depth needs. They are made of 2-1/2" heavy wall tubing.
- 2-1/2" posts are available when screw jack are unnecessary.
- Sand pads are interchangeable on any wheel assembly and provide a wide, solid base. Sand pads are ideal when portability is not an issue.
- All of our aluminum products are backed by a 15 year structural warranty against defects in material and workmanship. All purchased materials will use the pass through warranty from the manufacturer of those products. Please see warranty statement for full details.

The WoodBeam Resin Dock panel is the perfect low maintenance, simulated wood product for your next dock project. The deep wood grain finish gives you that wood look and feel while being maintenance free and easier to install.

Titan Deck Made of 100% polypropylene plastic, Titan decking will never rot, warp, dent, splinter or bend and never needs painting or staining. It's UV protected, barefoot friendly decking that stays cool to the touch even in extreme temperatures. Available in Tan or Gray.

Aluminum Decking: The ultimate maintenance free decking option. Tan powder coated Panels that stay cooler than wood or carpet.

10' aluminum frame with double full length center supports.





WoodBeam Resin Dock


SECTIONAL APPROXIMATE DOCK WEIGHT CHART						
FRAME	LEGS	MODEL	FRAME ONLY	SUNWALK™ DECK	TITAN DECK™	ALUMINUM DECK
10' ALUMINUM	SCREWJACK W/WHEELS	CENTER, END, OR L	133	195	204	219
10' ALUMINUM	SCREWJACK W/WHEELS	STARTER	143	205	214	229
10' ALUMINUM	SCREWJACK W/PADS	CENTER, END, OR L	105	162	171	191
10' ALUMINUM	SCREWJACK W/PADS	STARTER	115	177	186	201
10' ALUMINUM	POST W/WHEELS	CENTER, END, OR L	111	173	182	197
10' ALUMINUM	POST W/WHEELS	STARTER	121	183	182	207
10' ALUMINUM	POST W/PADS	CENTER, END, OR L	83	145	154	164
10' ALUMINUM	POST W/PADS	STARTER	93	155	164	179
ALUMINUM	ALL	CORNER	24	39	41	45
4' ALUMINUM	ALL	RAMP	22	47	55	55
8' ALUMINUM	ALL	RAMP	47	97	103	113
ALUMINUM	SCREWJACK	ALL	16			
ALUMINUM	6' POST W/PAD	ALL	7			
PLASTIC	WHEEL W/AXLE	ALL	16			

WEIGHT INCLUDES ALL SCREWJACKS/POSTS, WHEELS/PADS, AND HARDWARE







Titan Deck™



Tan Aluminum Deck Panel



STANDARD SECTIONAL FRAMES



Extruded post pocket. Engineered for extra strength and stability.




Sectional Post Or Roll In Dock




"L" connection
The sections hook together. What could be easier?

frame dimension



Designed for superior strength and good looks.

These Affordable Options Add Comfort And Ease Of Use To Your Dock



Bolt on "L" bracket a quick connector for making slips off the sectional frame dock.



Truss starter kit posts and brackets to keep the shore end off the ground or water.



18" wide ladder Our unique ladder design with a 15 degree offset for ease of use, will fasten to either frame wherever you like, without using up any valuable deck space. Comes in 3 or 4 step versions.



Aqua steps, 24" wide with hand rails and adjustable posts the easiest way in or out of the water for children and adults.



Quick Attach Hinge
Attach Dock Sections easily with our Quick Attach Hinge system.



Kayak Rack
Store your paddleboard, kayak or canoe off of your dock. It comes complete with bungee cords for safe and easy storage.



Hinges, pair used to attach wheel sections of longer truss docks (64' and longer). They allow the frame to flex during installation and removal.



Truss slip brackets a quick connector for making slips off of a truss frame dock.



Vinyl Bench

Incorporates such features as adjustable height, angled back rest, ergonomic leg relief and armrest with beverage holders; all designed for your comfort. Available in grey, tan or white.



Shore end wheel kit
A must when moving your dock.



Aluminum tow bar
A strong connection when pulling your dock out.

BUMPERS

Dock Rite has a wide selection of bumpers to protect your dock, boats and budget. Made for use on both Truss and Sectional Docks.



3' Vertical truss dock bumper.





3' Aluminum reinforced premium bumper.



Adjustable Aluminum steps
Connect to the front of your dock to manage rough terrain. Available in 4, 5, or 6 step versions

Chair and Table
Add comfort to your Dock with our New Swivel Chair and Matching Table



Corner + 8' strip bumpers

The corner section
Adds space, safety and stability to your dock. Available in WoodBeam, Titan Deck and Aluminum.



FLAGPOLE




Solar Dock Lights



RAMPS

Available in WoodBeam, Titan Deck and Aluminum.



Vertical lifts are available in 1300 PWC, 2000, 3000, 4000, 5000 and 6000 pound capacity with widths of 114" and 120". Because of the increased lift height, vertical lifts are ideal for use in the following conditions. Changing water depths, high waves, and heavier boats.



PWC Vertical lift



DR Series



MODEL	1364 PWC	30114	30120	40114	40120	50120	60120
CAPACITY	1300#	3000#	3000#	4000#	4000#	5000#	6000#
INSIDE WIDTH	64"	114"	120"	114"	120"	120"	120"
OUTSIDE WIDTH	70"	123"	129"	123"	129"	129"	129"
LENGTH*	75"	113"	113"	113"	113"	113"	113"
WEIGHT*	140#	336#	342#	410#	416#	440#	470#
TRAVEL	57"	62"	62"	62"	62"		
LOWEST SETTING*	7"	11"	11"	11"	11"		
LEG ADJUSTMENT	16.5"	30"	30"	29"	29"		
WINCH	1502 DL	12:1 CHAIN	12:1 CHAIN	24:1 CHAIN	24:1 CHAIN	24:1 CHAIN	24:1 CHAIN
ELECTRIC WINCH	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL
SCREW JACKS	N/A	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL
WHEEL KIT	N/A	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL
CANOPY	12'	23' OR 26'	23',26',28',30'	23' OR 26'	23',26',28',30'	23',26',28',30'	23',26',28',30'

* = without bunks



40120 Vertical lift





Figure 1:

Screw adjustable leveling leg kit. Available on all vertical lifts 3000 lbs to 6000 lbs. The screw legs make for easy leveling and height adjustment of lift. Also, eliminates lifting manually when installing stationary wheel kit.

Figure 3:

Vertical leveling leg pin adjustment. There are 20 different leveling positions with standard 34.5" leveling leg.




Figure 2:

Chain drive winches, are used on all lifts 3000 lbs or larger. Dock Rite is proud to build all winch boxes in house. All winch boxes are designed specifically for each Dock Rite model.



Figure 4:

Custom Made Cable Ends are made with Stainless Steel Cables and Machined Stainless Steel Studs for years of worry free use.




Figure 5:



The "V" shaped aluminum pulleys with brass oilite bushing riding on a stainless steel, greasable pins with stainless cables are designed for years of trouble free use.

Figure 6:




Lift corners are made from UHMW plastic for smooth operation.

Figure 7:



Custom Pins with Grease Zerks make it easy to grease your pulleys to reduce pulley and cable wear and makes lift operation smoother. Simplifies maintaining your lift.



DR Hydraulic Series

MODEL	30120	40120	50120	60120
CAPACITY	3000#	4000#	5000#	6000#
INSIDE WIDTH	120"	120"	120"	120"
OUTSIDE WIDTH	129"	129"	129"	129"
LENGTH	113"	113"	113"	113"
WEIGHT	540#	620#	640#	670#
TRAVEL	48"	48"	48"	48"
LOWEST SETTING	11"	11"	11"	11"
LEG ADJUSTMENT	30"	30"	30"	30"
WINCH	N/A	N/A	N/A	N/A
ELECTRIC WINCH	N/A	N/A	N/A	N/A
HYDRAULIC	STANDARD	STANDARD	STANDARD	STANDARD
SCREW JACKS	STANDARD	STANDARD	STANDARD	STANDARD
WHEEL KIT	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL
CANOPY	22',24',26',28,30	22',24',26',28,30	22',24',26',28,30	22',24',26',28,30



50120 DR Hydraulic Series Lift


Dock Rite Electric Motors

Lift Tech add on electric motors available on all lifts up to 6000 Pounds.


Electric chain drive winch.



Adjustable motor stop
to make sure your boat is
on the lift properly.



Adjustable pontoon motor stop to
make sure your boat is on the lift
properly.



Stationary wheel kit
Designed to lift on all four corners for
ease of installation and removal of
vertical lifts.





16' wood pontoon rack, For lifting pontoon boats from the deck also acts as guide-on.



Mini Double Bunk System The Pontoon Mini Bunk Cradle System is designed with low water conditions in mind. Made with aluminum and maintenance free vinyl. They will give you years of worry free use.



Double pontoon bunks for lifting from the pontoons.



Vinyl covered aluminum full length bunks sold in pairs are ideal for fiberglass boats. Made with aluminum and maintenance free vinyl, that will not scrape or scratch your watercraft.



Spring loaded guide sticks, sold in pairs with polyethene logs last longer than foam and make landing your boat easier especially in rough water.



"T" lift used for raising lift to adjust pads or put on wheels.



Spring loaded (14' vertical) full length guide-ons of carpeted wood is less likely to damage decals, a must for inboard boats.




PRO Pontoon Hydraulic Series Lift

MODEL	40120	50120	60120
CAPACITY	4000#	5000#	6000#
INSIDE WIDTH	120"	120"	120"
OUTSIDE WIDTH	129"	129"	129"
LENGTH	113"	113"	113"
WEIGHT	680#	700#	750#
TRAVEL	48"	48"	48"
LOWEST SETTING	11"	11"	11"
LEG ADJUSTMENT	30"	30"	30"
WINCH	N/A	N/A	N/A
ELECTRIC WINCH	N/A	N/A	N/A
HYDRAULIC	STANDARD	STANDARD	STANDARD
SCREW JACKS	STANDARD	STANDARD	STANDARD
WHEEL KIT	OPTIONAL	OPTIONAL	OPTIONAL
CANOPY	22',24',26',28,30	22',24',26',28,30	22',24',26',28,30

PRO Pontoon 24 V Series Lift (Not Pictured)

MODEL	40120	50120	60120
CAPACITY	4000#	5000#	6000#
INSIDE WIDTH	120"	120"	120"
OUTSIDE WIDTH	129"	129"	129"
LENGTH	113"	113"	113"
WEIGHT	480#	500#	550#
TRAVEL	48"	48"	48"
LOWEST SETTING	11"	11"	11"
LEG ADJUSTMENT	30"	30"	30"
WINCH	24:1 CHAIN	24:1 CHAIN	24:1 CHAIN
ELECTRIC WINCH	STANDARD	STANDARD	STANDARD
HYDRAULIC	N/A	N/A	N/A
SCREW JACKS	STANDARD	STANDARD	STANDARD
WHEEL KIT	OPTIONAL	OPTIONAL	OPTIONAL
CANOPY	22',24',26',28,30	22',24',26',28,30	22',24',26',28,30



PRO V 24 V Series Lift

PRO V Hydraulic Series Lift (Not Pictured)

MODEL	40120	50120	60120
CAPACITY	4000#	5000#	6000#
INSIDE WIDTH	120"	120"	120"
OUTSIDE WIDTH	129"	129"	129"
LENGTH	113"	113"	113"
WEIGHT	500#	520#	570#
TRAVEL	48"	48"	48"
LOWEST SETTING	11"	11"	11"
LEG ADJUSTMENT	30"	30"	30"
WINCH	24:1 CHAIN	24:1 CHAIN	24:1 CHAIN
ELECTRIC WINCH	24V STANDARD	24V STANDARD	24V STANDARD
HYDRAULIC	N/A	N/A	N/A
SCREW JACKS	STANDARD	STANDARD	STANDARD
WHEEL KIT	OPTIONAL	OPTIONAL	OPTIONAL
CANOPY	22',24',26',28,30	22',24',26',28,30	22',24',26',28,30

MODEL	40120	50120	60120
CAPACITY	4000#	5000#	6000#
INSIDE WIDTH	120"	120"	120"
OUTSIDE WIDTH	129"	129"	129"
LENGTH	113"	113"	113"
WEIGHT	700#	720#	770#
TRAVEL	48"	48"	48"
LOWEST SETTING	11"	11"	11"
LEG ADJUSTMENT	30"	30"	30"
WINCH	N/A	N/A	N/A
ELECTRIC WINCH	N/A	N/A	N/A
HYDRAULIC	STANDARD	STANDARD	STANDARD
SCREW JACKS	STANDARD	STANDARD	STANDARD
WHEEL KIT	OPTIONAL	OPTIONAL	OPTIONAL
CANOPY	22',24',26',28,30	22',24',26',28,30	22',24',26',28,30

Our Lift Canopies Are Made Of Durable Vinyl For Years Of Lasting Protection

The Dock Rite canopy fabric hangs down 6" from the frame, for a total depth of 42". This provides superior protection from sun and rain.


Shelter-Rite fabric is a PVC-coated high-tenacity polyester material that will not rot, shrink or stretch and offers unparalleled adhesion (to reduce wind whip), color match and colorfastness. These covers are also constructed by using heat-welded seams in the main body of the cover to create a waterproof environment for your boat. Shelter-Rite canvases are backed by a 5-Year limited Warranty from the manufacturer.

Hydrofend fabric material packs powerful water repellency & long lasting durability into a lightweight woven cloth. This 8 oz. polyester monofilament yarn has high tensile strength and increases abrasion resistance to hold up to the rigors of your boat lift cover application. A proprietary solvent armors up Hydrofend, making it 6 times more water resistant than non-coated cloth fabrics. Mold & mildew inhibitors and UV resistance keeps Hydrofend performing year in and year out. Welded seams reduce sewing. This lightweight woven cloth material makes it easy to install and remove, a mere 1/3 of the weight of standard vinyl material.

RECWater Canvas is made of a solution-dyed acrylic fibers with PVC coating on one side, which makes it absolutely waterproof. The PVC coating is colored to match the color of the acrylic, making it possible to combine the elegance of the acrylic fabric with the PVC's waterproof performance. The PVC coating is formulated to achieve perfect adhesion with the acrylic fabric. Unlike other products on the market, RECWater does not crack or roll and has excellent dimensional stability. RECWater weighs 16oz per yard, has excellent fade resistance, UW stable and treated with antimicrobial deterrants to combat mold and mildew.



Canopy Vents




Canopy easily attaches to frame with the Quicklash Attachment System.


CANOPY SIZES

64" x 12' | 114" X 22' | 114" X 24' | 114" x 26' | 120" x 22' | 120" x 24' | 120" x 26' | 120" x 28' | 120" x 30'

Shelter Rite Colors



Hydrofend Colors



RECWater Colors





Dock Rite Tower Canopies keeps our customers in mind with an overall 72" inches of coverage.

Dock Rite's fully welded sides keep pieces to a minimum ensuring a quality fitting product.

The Tower Canopy has a fully zippered end for easy access in and out.


Our exclusive second row of the quick lash system provides a simple and secure way to fasten down the lower portion of the canopy.



Self adjusting Floating docks make raising and lowering your dock a thing of the past.

Floating docks are available in aluminum truss frames, and all decking options. Ideal for use in deep or changing water conditions or when the lake bottom is soft. Standard post lengths are 10' and 7' with 2 inch posts.


Aluminum frame floating dock
with standard 36" x 48" 12" floats. The floats are foam
filled and rated at 685 pounds each.



Sand Augers
Comes standard on all floating docks.



32' aluminum frame Titan Deck™ deck floating dock.
All floating docks start with an 8' ramp that is included in the overall length.



Warranty Information

15 YEAR LIMITED WARRANTY

Dock Rite Inc. warrants all Dock Rite products by the original owner from defects in materials and workmanship under normal use (void if alteration, neglect, misuse, accident, ice or storm is the cause).

Dock Rite agrees to repair or replace only defective parts returned to the factory (prepaid Hutchinson, Minnesota) and deemed defective by Dock Rite Inc.

In order that we may consistently better our products, specifications and prices are subject to change.

- Dealer inquiries invited • For nearest dealer please call 1-888-400-3292 •
- www.dockriteus.com •

Your Dock Rite Dealer

